

Bulk Blendz Fresha Perfumed Deodorant Tablets Bulkwholesale Australia Pty Ltd

Chemwatch Hazard Alert Code: 2

lssue Date: **20/08/2021** Print Date: **04/05/2022** S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Product Identifier	
Bulk Blendz Fresha Perfumed Deodorant Tablets	
1,4-dichlorobenzene	
Toilet Tabs, Toilet Deodorant Blocks	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains 1,4-dichlorobenzene)	
Not Applicable	
Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Air freshener, toilet freshener, moth, mildew and insect repellant.

Details of the supplier of the safety data sheet

	-
Registered company name	Bulkwholesale Australia Pty Ltd
Address	2/7 Commercial Court, Tullamarine VIC 3043 Australia
Telephone	1300 096 435
Fax	
Website	https://www.bulkwholesale.com.au
Email	orders@bulkwholesale.com.au

Emergency telephone number

Chemwatch: 28-2128

Version No: 4.1

Association / Organisation	N.V.Chemicals(Aust) P/L	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	0411 387 097	+61 1800 951 288
Other emergency telephone numbers	Not Available	+61 2 9186 1132

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

Poisons Schedule	S5
Classification ^[1]	Acute Toxicity (Oral) Category 4, Serious Eye Damage/Eye Irritation Category 2A, Carcinogenicity Category 2, Hazardous to the Aquatic Environment Long-Term Hazard Category 1
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)	
Signal word	Warning

Hazard statement(s)

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s) Prevention

P201	Obtain special instructions before use.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264	Wash all exposed external body areas thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary statement(s) Response

P308+P313	IF exposed or concerned: Get medical advice/ attention.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P391	Collect spillage.	

Precautionary statement(s) Storage

Store locked up.

Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Not Applicable

SECTION 3 Composition / information on ingredients

P405

P501

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
106-46-7	99.2	1.4-dichlorobenzene
Not Available	<1	perfume
Not Available	<0.1	dye
Legend:	Legend: 1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.
Ingestion	 Not considered a normal route of entry. For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

EYES - Stain for evidence of corneal injury. SKIN - Treat as for dermatitis. RESPIRATION - Administer oxygen if available. The use of bronchodilators, expectorants and antitussives

may help. There is no antidote for systemic effects. Readily absorbed after oral administration to rats and found in all organs with accumulation in adipose tissues. 90% of the dose is excreted within 48 hours. Two metabolites, 2,5-dichlorophenylmethylsulfone and 2,5-dichlorophenylsulfoxide are detected in the blood (though not the compound itself). Slow release from the adipose tissues is probably responsible for the persistence of these metabolites. 2,5-dichlorophenol is detected in plasma, urine, liver, kidneys and fatty tissues - in humans this metabolite is a useful monitor of exposure. An occupational exposure for 1 week to 7.4 ppm 1,4-DCB produced an increase of 1,4-DCB in the urine as a direct measurement and its use as a biological exposure index has been suggested

Treat symptomatically.

Chlorobenzenes are readily adsorbed from the gastrointestinal tract; they are distributed into highly perfused tissues and accumulate in lipid tissues. Lipid accumulation is greatest for the more highly chlorinated chlorobenzene compounds. Chlorobenzenes are metabolised by microsomal oxidation to form arene oxide intermediates and then further to their corresponding chlorophenols which are excreted in the urine as mercapturic acids after conjugation with glutathione or as glucuronic acid or sulfate conjugates. A small percentage are eliminated unchanged in expired air or faeces.

The material may induce methaemoglobinaemia following exposure.

Initial attention should be directed at oxygen delivery and assisted ventilation if necessary. Hyperbaric oxygen has not demonstrated substantial benefits.

- ٠ Hypotension should respond to Trendelenburg's position and intravenous fluids; otherwise dopamine may be needed.
- ۲ Symptomatic patients with methaemoglobin levels over 30% should receive methylene blue. (Cyanosis, alone, is not an indication for treatment). The usual dose is 1-2 mg/kg of a 1% solution (10 mg/ml) IV over 50 minutes; repeat, using the same dose, if symptoms of hypoxia fail to subside within 1 hour.
- Thorough cleansing of the entire contaminated area of the body, including the scalp and nails, is of utmost importance.
- **BIOLOGICAL EXPOSURE INDEX BEI**

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

Determinant

Index Sampling Time Comment B. NS. SQ 1. Methaemoglobin in blood 1.5% of haemoglobin During or end of shift B: Background levels occur in specimens collected from subjects NOT exposed

NS: Non-specific determinant; also observed after exposure to other materials

SQ: Semi-quantitative determinant - Interpretation may be ambiguous; should be used as a screening test or confirmatory test.

SECTION 5 Firefighting measures

Extinguishing media

- Alcohol stable foam.
- Foam
- Dry chemical powder. ٠
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area.
Fire/Explosion Hazard	Combustible Combustion products include: carbon monoxide (CO) carbon dioxide (CO2) hydrogen chloride phosgene other pyrolysis products typical of burning organic material.
HAZCHEM	2Z

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Environmental hazard - contain spillage. Clean up all spills immediately. Secure load if safe to do so. Bundle/collect recoverable product. Collect remaining material in containers with covers for disposal.
Major Spills	 Environmental hazard - contain spillage. Clean up all spills immediately. Wear protective clothing, safety glasses, dust mask, gloves. Secure load if safe to do so. Bundle/collect recoverable product.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials.

Other information	 Keep dry. Store under cover. Store in a well ventilated area. Store away from sources of heat or ignition.
Conditions for safe storage, in	cluding any incompatibilities

Suitable container	Carton.
Storage incompatibility	 Avoid contact with aluminium and its alloys (including storage containers). Formation of aluminium chloride may catalyse further self-accelerating attack on the metal (Friedel-Crafts reaction) leading to violent explosion. Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	1,4-dichlorobenzene	p-Dichlorobenzen	ne 25 ppm / 150 mg/m	3 300 mg/m3 / 50 ppm	Not Available	Not Available
Emergency Limits						
Ingredient	TEEL-1		TEEL-2	TEEL-3		
1,4-dichlorobenzene	30 ppm		170 ppm	1,000 ppn	า	

Ingredient	Original IDLH	Revised IDLH
1,4-dichlorobenzene	150 ppm	Not Available

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	 No special equipment for minor exposure i.e. when handling small quantities. OTHERWISE: Safety glasses with side shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	No special equipment needed when handling small quantities. OTHERWISE: Wear chemical protective gloves, e.g. PVC.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. OTHERWISE: • Overalls. • Barrier cream. • Eyewash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Fresha Perfumed Deodorant Tablets

Material	CPI
NEOPRENE	В
NITRILE	С
PVC	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final

selection must be based on detailed observation. * Where the glove is to be used on a short term, casual or infrequent basis, factors such

as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 5 x ES	A-AUS / Class 1 P2	-	A-PAPR-AUS / Class 1 P2
up to 25 x ES	Air-line*	A-2 P2	A-PAPR-2 P2
up to 50 x ES	-	A-3 P2	-
50+ x ES	-	Air-line**	-

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO =

otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Coloured tablet block with perfumed aromatic odour. Sublimes (evaporates) at room temperature. Very slightly soluble in water.		
Physical state	Manufactured	Relative density (Water = 1)	1.46
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	560
pH (as supplied)	Not Applicable	Decomposition temperature	>55
Melting point / freezing point (°C)	53.1	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	174	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	67	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Combustible.	Oxidising properties	Not Available
Upper Explosive Limit (%)	16	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	2.5	Volatile Component (%vol)	100
Vapour pressure (kPa)	1.33 @ 54.8 C.	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	5.08	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Intoxication, depression of the central nervous system and death can occur at high concentrations. Individuals exposed to higher concentrations may show anaemia, weakness, dizziness, weight loss, vomiting, liver and kidney damage. Long term inhalational exposure causes lung damage and painful irritation of the nose and eyes at higher doses. There may be tremors, eye cataracts and distortion of smell.
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. The substance and/or its metabolites may bind to haemoglobin inhibiting normal uptake of oxygen. This condition, known as "methaemoglobinemia", is a form of oxygen starvation (anoxia). Symptoms include cyanosis (a bluish discolouration skin and mucous membranes) and breathing difficulties. Symptoms may not be evident until several hours after exposure. Inhalation and oral exposure to dichlorobenzene causes increase in liver weight at low levels and severe liver degeneration, tremors, central nervous system depression and death at higher levels. It is readily absorbed through the gut and airways. Absorption through the skin is unknown. Repeated and long term use may cause blurred vision, kidney damage, poor development of the bone marrow, damage to the lining of the nose and small bowel, as well as deposits in the heart and skeletal muscle.
Skin Contact	Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. 1,2-dichlorobenzene (DCB) can be irritating when applied to the skin. Skin inflammation has been noted after a follow-up patch test. Skin lesions may be characterised by a burning sensation and diffuse redness of the treated area which progresses to a darker red colour and blisters within 24 hours and a brown pigment after 3 months. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. Absorption by skin may readily exceed vapour inhalation exposure. Symptoms for skin absorption are the same as for inhalation.
Eye	This material can cause eye irritation and damage in some persons. Undiluted 1,2-dichlorobenzene (DCB) applied to the eye may cause pain and slight eye irritation which may clear within 5 days without residual injury. Vapours from heated 1,4-DCB may cause mild corneal damage. Solid particles in the eye are reported to be very painful. However, a workplace study showed no evidence of adverse effects in workers with particular reference to eye lesions including cataracts though painful irritation of eyes and nose were recorded.

Chronic	There has been concern that this material can cause Long term inhalation of dichlorobenzenes may cause between exposure and blood cancer (leukaemia). Wo and blood are systemic targets.	cancerous changes to liver, kidney, th	yroid gland and blood. Some evidence suggests a link
Fresha Perfumed Deodorant	TOXICITY	IRRITATION	
Tablets	Not Available	Not Available	
	тохісіту	IRRITATION	
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (human): 80) ppm
1,4-dichlorobenzene	Inhalation(Rat) LC50; >5.07 mg/l4h ^[1]		
	Oral (Rat) LD50; 500 mg/kg ^[2]		
Legend:	 Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To 		nined from manufacturer's SDS. Unless otherwise
1,4-DICHLOROBENZENE	Chlorobenzenes produce several clinical symptoms in at levels toxic to the mother. They are well absorbed i doses may produce breathing failure and damage to t 1,2-DCB is quickly and extensively absorbed through very low. Following absorption, it is distributed throughout the b WARNING: This substance has been classified by the Tenth Annual Report on Carcinogens: Substance anti [<i>National Toxicology Program: U.S. Dep. of Health & I</i> Eye effects, respiratory tract changes, diarrhoea, spec	n the stomach, gut and airways, and whe liver, kidneys, adrenal glands, muc both the gastrointestinal tract and the ody. Greatest levels have been found a IARC as Group 2B: Possibly Carcino cipated to be Carcinogen Human Services 2002]	ous membranes, and brain. respiratory tract. Dermal absorption is believed to be in the fat, kidney, and liver. ogenic to Humans.
Acute Toxicity	✓	Carcinogenicity	✓
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
		u	ot available or does not fill the criteria for classification le to make classification

SECTION 12 Ecological information

Toxicity

Fresha Perfumed Deodorant Tablets	Endpoint	Test Duration (hr)	r) Species		Source
	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50(ECx)	24h Algae or other aquatic plants		<0.001mg/L	4
	LC50	96h	Fish	1mg/l	4
1,4-dichlorobenzene	BCF	840h	Fish	33-72	7
	EC50	72h	Algae or other aquatic plants	31mg/l	2
	EC50	48h	Crustacea	0.7mg/l	2
	EC50	96h	Algae or other aquatic plants	1.6mg/L	5
Legend:	Ecotox databa		HA Registered Substances - Ecotoxicological Informat Aquatic Hazard Assessment Data 6. NITE (Japan) - Bi		

Very toxic to aquatic organisms. DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
1,4-dichlorobenzene	HIGH (Half-life = 360 days)	MEDIUM (Half-life = 83.58 days)

Bioaccumulative potential	
Ingredient	Bioaccumulation
1,4-dichlorobenzene	LOW (BCF = 190)

Mobility in soil

Ingredient	Mobility
1,4-dichlorobenzene	LOW (KOC = 434)

SECTION 13 Disposal considerations

Waste treatment methods		
Product / Packaging disposal	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill. 	

SECTION 14 Transport information

Labels Required

Marine Pollutant	
HAZCHEM	2Z

Land transport (ADG)

UN number	3077		
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains 1,4-dichlorobenzene)		
Transport hazard class(es)	Class 9 Subrisk Not Applicable		
Packing group	II		
Environmental hazard	Environmentally hazardous		
Special precautions for user	Special provisions274 331 335 375 AU01Limited quantity5 kg		

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 Environmentally Hazardous Substances meeting the description are not subject to this Code when transported by road or rail in; (a) packagings; (b) IBCs; or (c) any other receptacle not exceeding 500 kg(L). - Australian Special Provisions (SP AU01) - ADG Code 7th Ed.

Air transport (ICAO-IATA / DGR)

	,			
UN number	3077			
UN proper shipping name	Environmentally hazardo	ous substance, solid, n.o.s. * (contains 1	,4-dichlorobenzene)	
	ICAO/IATA Class	9		
Transport hazard class(es)	ICAO / IATA Subrisk	Not Applicable		
	ERG Code	9L		
Packing group				
Environmental hazard	Environmentally hazardous			
	Special provisions		A97 A158 A179 A197 A215	
	Cargo Only Packing Instructions		956	
	Cargo Only Maximum Qty / Pack		400 kg	
Special precautions for user	Passenger and Cargo Packing Instructions		956	
	Passenger and Cargo Maximum Qty / Pack		400 kg	
	Passenger and Cargo	Limited Quantity Packing Instructions	Y956	
	Passenger and Cargo	Limited Maximum Qty / Pack	30 kg G	

Sea transport (IMDG-Code / GGVSee)

UN number	3077	
UN proper shipping name	ENVIRONMENTA	LLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains 1,4-dichlorobenzene)
	IMDG Class	9
Transport hazard class(es)	IMDG Subrisk	Not Applicable

Packing group	Ш			
Environmental hazard	Marine Pollutant			
Special precautions for user	EMS Number Special provisions Limited Quantities	F-A, S-F 274 335 966 967 969 5 kg		

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
1,4-dichlorobenzene	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
1,4-dichlorobenzene	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

1,4-dichlorobenzene is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 5 Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (1,4-dichlorobenzene)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	Yes		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	20/08/2021
Initial Date	05/09/2011

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
4.1	20/08/2021	Classification change due to full database hazard calculation/update.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV[·] Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without strike of the process of the permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without the copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without the copyright Act, no part may be reproduced by any process without the copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitted under the Copyright Act, no part may be reproduced by any process without written permitten act, no part may be reproduced by any process without writ

TEL (+61 3) 9572 4700.