

Bulkwholesale Australia Pty Ltd

Chemwatch Hazard Alert Code: 1

Chemwatch: **4789-82** Version No: **3.1**

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 01/11/2019 Print Date: 10/06/2022

Print Date: 10/06/2022 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier | |
|-------------------------------|--------------------------------|
| Product name | Bulk Blendz Pre - Wash Spotter |
| Chemical Name | Not Applicable |
| Synonyms | Not Available |
| Chemical formula | Not Applicable |
| Other means of identification | Not Available |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Pre-wash spotting solution. |
|--------------------------|-----------------------------|
| Relevant identified uses | Pre-wash |

Details of the supplier of the safety data sheet

| Registered company name | Bulkwholesale Australia Pty Ltd |
|-------------------------|--|
| Address | 2/7 Commercial Court, Tullamarine VIC 3043 Australia |
| Telephone | 1300 096 435 |
| Fax | |
| Website | https://www.bulkwholesale.com.au |
| Email | orders@bulkwholesale.com.au |

Emergency telephone number

| Association / Organisation | N.V.Chemicals(Aust) P/L | CHEMWATCH EMERGENCY RESPONSE | | |
|-----------------------------------|-------------------------|------------------------------|--|--|
| Emergency telephone numbers | 0411 387 097 | +61 1800 951 288 | | |
| Other emergency telephone numbers | Not Available | +61 3 9573 3188 | | |

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

| Poisons Schedule | Not Applicable |
|-------------------------------|--|
| Classification ^[1] | Serious Eye Damage/Eye Irritation Category 2B |
| 1 | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI |
| Legend: | 1. Classified by Chemiwalch, 2. Classification drawn from HCIS, 5. Classification drawn from Regulation (EU) No 1272/2006 - Annex VI |
| I elements | |
| | Not Applicable |

H320

Causes eye irritation.

Precautionary statement(s) Prevention

P264 Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
|----------------|--|
| P337+P313 | If eye irritation persists: Get medical advice/attention. |

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name | | | | | |
|---------------|---|---------------------------------|--|--|--|--|--|
| Not Available | 1-10 | NV Chemicals Pre - Wash Spotter | | | | | |
| 1300-72-7 | 1-10 | sodium xylenesulfonate | | | | | |
| 111-76-2 | 1-10 | ethylene glycol monobutyl ether | | | | | |
| Not Available | 1-10 | nonyl phenol ethoxylate | | | | | |
| Not Available | <0.1 | preservative | | | | | |
| 7732-18-5 | >60 | water | | | | | |
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available | | | | | | |

SECTION 4 First aid measures

Description of first aid measures

| Eye Contact | If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|---|
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

- For acute or short term repeated exposures to ethylene glycol:
- Early treatment of ingestion is important. Ensure emesis is satisfactory.
- Test and correct for metabolic acidosis and hypocalcaemia.
- Apply sustained diuresis when possible with hypertonic mannitol.
- Evaluate renal status and begin haemodialysis if indicated. [I.L.O]
- Rapid absorption is an indication that emesis or lavage is effective only in the first few hours. Cathartics and charcoal are generally not effective.
- Correct acidosis, fluid/electrolyte balance and respiratory depression in the usual manner. Systemic acidosis (below 7.2) can be treated with intravenous sodium bicarbonate solution.
- Ethanol therapy prolongs the half-life of ethylene glycol and reduces the formation of toxic metabolites.
- Pyridoxine and thiamine are cofactors for ethylene glycol metabolism and should be given (50 to 100 mg respectively) intramuscularly, four times per day for 2 days.
- Magnesium is also a cofactor and should be replenished. The status of 4-methylpyrazole, in the treatment regime, is still uncertain. For clearance of the material and its metabolites, haemodialysis is much superior to peritoneal dialysis.
- [Ellenhorn and Barceloux: Medical Toxicology]

It has been suggested that there is a need for establishing a new biological exposure limit before a workshift that is clearly below 100 mmol ethoxy-acetic acids per mole creatinine in morning urine of people occupationally exposed to ethylene glycol ethers. This arises from the finding that an increase in urinary stones may be associated with such exposures. *Laitinen J., et al: Occupational & Environmental Medicine* 1996; 53, 595-600

SECTION 5 Firefighting measures

Extinguishing media

There is no restriction on the type of extinguisher which may be used.

Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| •p•••••• ••••••••••••••••••••••••••••• | |
|--|---|
| Fire Incompatibility | None known. |
| Advice for firefighters | |
| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. |
| Fire/Explosion Hazard | Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: phosphorus oxides (POx) sulfur oxides (SOx) May emit poisonous fumes. May emit corrosive fumes. |
| HAZCHEM | Not Applicable |

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | Environmental hazard - contain spillage. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. |
|--------------|---|
| Major Spills | Environmental hazard - contain spillage. Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT allow clothing wet with material to stay in contact with skin Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Store away from incompatible materials and foodstuff contain

Conditions for safe storage, including any incompatibilities

| Suitable container | Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. |
|-------------------------|---|
| Storage incompatibility | None known |

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

| INGREDIENT DATA | | | | | | | | | |
|---------------------------------|---------------------------------|-----------------|---------------------------------|---------|--------------------|---------|---------------|---------------|--|
| Source | Ingredient | Material name | TWA | | STEL | | Peak | Notes | |
| Australia Exposure Standards | ethylene glycol monobutyl ether | 2-Butoxyethanol | Butoxyethanol 20 ppm / 96.9 mg/ | | 242 mg/m3 / 50 ppm | | Not Available | Not Available | |
| Emergency Limits | | | | | | | | | |
| Ingredient | TEEL-1 | TEEL-2 | | | | TEEL-3 | | | |
| ethylene glycol monobutyl ether | 60 ppm | 120 ppm | 1 | | | 700 ppm | | | |
| | | | | | | | | | |
| Ingredient | Original IDLH | | | Revised | IDLH | | | | |

| Ingredient | Original IDLH | Revised IDLH | |
|------------------------------------|--|----------------------------------|--|
| NV Chemicals Pre - Wash Spotter | Not Available | Not Available | |
| sodium xylenesulfonate | Not Available | Not Available | |
| ethylene glycol monobutyl ether | 700 ppm | Not Available | |
| water | Not Available | Not Available | |
| Occupational Exposure Banding | | | |
| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit | |
| sodium xylenesulfonate | E | ≤ 0.01 mg/m³ | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | | |

Exposure controls

| | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. |
|-------------------------------------|---|
| Appropriate engineering controls | The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. |
| Personal protection | |
| Eye and face protection | Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. |
| Skin protection | See Hand protection below |
| Hands/feet protection | Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. |
| Body protection | See Other protection below |
| Other protection | Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. |

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the \bar{f} ollowing substance(s) are taken into account in the computer-generated selection:

NV Chemicals Pre - Wash Spotter

| Material | СРІ |
|-------------------|-----|
| BUTYL | A |
| NEOPRENE | В |
| NAT+NEOPR+NITRILE | С |
| NATURAL RUBBER | С |
| NATURAL+NEOPRENE | С |
| NEOPRENE/NATURAL | С |
| NITRILE | С |
| PE | С |
| PE/EVAL/PE | С |
| PVA | С |
| PVC | С |
| SARANEX-23 | С |
| TEFLON | С |
| VITON | С |

Respiratory protection

Type BAX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator |
|---------------------------------------|-------------------------|-------------------------|---------------------------|
| up to 10 x ES | BAX-AUS | - | BAX-PAPR-AUS / Class 1 |
| up to 50 x ES | - | BAX-AUS / Class 1 | - |
| up to 100 x ES | - | BAX-2 | BAX-PAPR-2 ^ |

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Alkaline liquid; mixes with water. | | |
|---|------------------------------------|--|----------------|
| | | | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | 9.2 | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (Not Available%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

Information on toxicological effects

| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product |
|--------------|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. |
| Eye | There is some evidence to suggest that this material can cause eye irritation and damage in some persons. |
| Chronic | Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. There is some evidence that inhaling this product is more likely to cause a sensitisation reaction in some persons compared to the general population. There is limited evidence that, skin contact with this product is more likely to cause a sensitisation reaction in some persons compared to the general population. There is some evidence from animal testing that exposure to this material may result in toxic effects to the unborn baby. Based on experience with similar materials, there is a possibility that exposure to the material may reduce fertility in humans at levels which do |
| | Continued |

Bulk Blendz Pre - Wash Spotter

| NV Chemicals Pre - Wash | TOXICITY | IRRITATION |
|------------------------------------|--|--|
| Spotter | Not Available | Not Available |
| | ΤΟΧΙCITY | IRRITATION |
| sodium xylenesulfonate | Oral (Rat) LD50; >10 mg/kg ^[2] | Eye: adverse effect observed (irritating) ^[1] |
| | | Skin: no adverse effect observed (not irritating) ^[1] |
| | тохісіту | IRRITATION |
| | dermal (guinea pig) LD50: 210 mg/kg ^[2] | Eye (rabbit): 100 mg SEVERE |
| | Inhalation(Rat) LC50; 2.21 mg/l4h ^[2] | Eye (rabbit): 100 mg/24h-moderate |
| ethylene glycol monobutyl ether | Oral (Rat) LD50; 300 mg/kg ^[2] | Eye: adverse effect observed (irritating) ^[1] |
| etter | | Skin (rabbit): 500 mg, open; mild |
| | | Skin: adverse effect observed (irritating) ^[1] |
| | | Skin: no adverse effect observed (not irritating) ^[1] |
| | тохісіту | IRRITATION |
| water | Oral (Rat) LD50; >90000 mg/kg ^[2] | Not Available |

| | known as reactive airways dysfunction syndrome (RADS | | ends. This may be due to a non-allergic condition | | |
|------------------------------------|--|---|---|--|--|
| SODIUM XYLENESULFONATE | Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates Most chemicals of this category are not defined substances, but mixtures of homologues with different alkyl side chains. Common physical and/or biological pathways result in structurally similar breakdown products, and are, together with the surfactant properties, responsible for similar environmental behavior and essentially identical hazard profiles with regard to human health. Acute toxicity: These substances are well absorbed after ingestion; penetration through the skin is however, poor. After absorption, these chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include lethargy, hair standing up, decreased motor activity and breathing rate, and diarrhea. Poisoning from skin contact caused irritation, tremor, tonic-clonic convulsions, breathing failure, and weight loss. Toxicological data is available and well documented for representative toluene, xylene and cumene sulfonates (including sodium, potassium, ammounium and calcium salts). These data show that hydrotropes have low toxicity for all routes, do not cause genetic damage, show no evidence of causing cancer in long-term skin studies, and have not caused birth defects, developmental defects or reduced fertility. | | | | |
| ETHYLENE GLYCOL MONOBUTYL ETHER | | | | | |
| SODIUM XYLENESULFONATE & WATER | metabolized by alcohol dehydrogenase to form glycoaldehyde, which is rapidly converted to glycolic acid and glyoxal. No significant acute toxicological data identified in literature search. | | | | |
| Acute Toxicity | × | Carcinogenicity | × | | |
| Acute TOXICITY | | | | | |
| Skin Irritation/Corrosion | - | Reproductivity X STOT - Single Exposure X | | | |

Continued...

| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
|-----------------------------------|---|--------------------------|--|
| Mutagenicity | × | Aspiration Hazard | × |
| | | | ot available or does not fill the criteria for classification le to make classification |

SECTION 12 Ecological information

Toxicity

| NV Chemicals Pre - Wash Spotter | Endpoint | Test Duration (hr) | Species | Value | Source |
|------------------------------------|------------------|--------------------|-------------------------------|------------------|-----------------|
| | Not Available | Not Available | Not Available | Not Available | Not Availabl |
| | Endpoint | Test Duration (hr) | Species | Value | Sourc |
| | NOEC(ECx) | 96h | Algae or other aquatic plants | 31mg/l | 2 |
| sodium xylenesulfonate | EC50 | 48h | Crustacea | >400mg/l | 1 |
| | EC50 | 96h | Algae or other aquatic plants | >=230mg/l | 2 |
| ethylene glycol monobutyl ether | Endpoint | Test Duration (hr) | Species | Value | Source |
| | EC50 | 72h | Algae or other aquatic plants | 623mg/l | 2 |
| | EC10(ECx) | 48h | Crustacea | 7.2mg/l | 2 |
| | EC50 | 48h | Crustacea | 164mg/l | 2 |
| | EC50 | 96h | Algae or other aquatic plants | 720mg/l | 2 |
| | LC50 | 96h | Fish | 1700mg/l | Not Availab |
| water | Endpoint | Test Duration (hr) | Species | Value | Source |
| | Not Available | Not Available | Not Available | Not Available | Not Availab |

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|---------------------------------|---------------------------|-----------------------------|
| ethylene glycol monobutyl ether | LOW (Half-life = 56 days) | LOW (Half-life = 1.37 days) |
| water | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|---------------------------------|------------------|
| ethylene glycol monobutyl ether | LOW (BCF = 2.51) |
| Mobility in soil | |

| Ingredient | Mobility |
|---------------------------------|----------------|
| ethylene glycol monobutyl ether | HIGH (KOC = 1) |

SECTION 13 Disposal considerations

| Product / Packaging disposal | Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed |
|------------------------------|--|
|------------------------------|--|

| | apparatus (after admixture with suitable combustible material). Decontaminate empty containers. | | |
|----------------------------------|---|--|--|
| SECTION 14 Transport information | | | |
| Labels Required | | | |

| Marine Pollutant | NO | |
|--|----------------|--|
| HAZCHEM | Not Applicable | |
| Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS | | |

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|------------------------------------|---------------|
| NV Chemicals Pre - Wash Spotter | Not Available |
| sodium xylenesulfonate | Not Available |
| ethylene glycol monobutyl ether | Not Available |
| water | Not Available |

Transport in bulk in accordance with the ICG Code

| Product name | Ship Type |
|------------------------------------|---------------|
| NV Chemicals Pre - Wash Spotter | Not Available |
| sodium xylenesulfonate | Not Available |
| ethylene glycol monobutyl ether | Not Available |
| water | Not Available |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

NV Chemicals Pre - Wash Spotter is found on the following regulatory lists Not Applicable

sodium xylenesulfonate is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

ethylene glycol monobutyl ether is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 6

water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

Australian Inventory of Industrial Chemicals (AIIC)

Australian Inventory of Industrial Chemicals (AIIC) International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

| National Inventory | Status | | | |
|--|---|--|--|--|
| Australia - AIIC / Australia Non-Industrial Use | Yes | | | |
| Canada - DSL | Yes | | | |
| Canada - NDSL | No (sodium xylenesulfonate; ethylene glycol monobutyl ether; water) | | | |
| China - IECSC | 28 | | | |
| Europe - EINEC / ELINCS / NLP | 25 | | | |
| Japan - ENCS | 25 | | | |
| Korea - KECI | /es | | | |
| New Zealand - NZIoC | Yes | | | |
| Philippines - PICCS | Yes | | | |
| USA - TSCA | Yes | | | |
| Taiwan - TCSI | Yes | | | |
| Mexico - INSQ | Yes | | | |
| Vietnam - NCI | Yes | | | |
| Russia - FBEPH | Yes | | | |

| National Inventory | Status | |
|--------------------|---|--|
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. | |

SECTION 16 Other information

| Revision Date | 01/11/2019 | | |
|-----------------------|----------------|------------------|--|
| Initial Date | 01/11/2009 | | |
| SDS Version Summary | | | |
| obe version culturary | | | |
| Version | Date of Update | Sections Updated | |

One-off system update. NOTE: This may or may not change the GHS classification

Other information

3.1

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

01/11/2019

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.